ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 607 (2000) 233

Journal of Organometallic Chemistry

Author Index of Volume 607

Adams, H., 175
Agustinho, S.C.M., 175
Andrews, P.C., 213
Arnold, D.P., 41
Arnold, J., 227
Asselberghs, I., 72

Bergman, R.G., 227
Bhargava, S.K., 93
Braussaud, N., 78
Breschi, C., 57
Brown, K.J., 120
Bruce, M.I., 137

Canty, A.J., 194
Carmona, D., 3
Cavell, K.J., 78
Cifuentes, M.P., 72
Contel, M., 129
Contreras, R., 3
Crisp, M.G., 222

Deacon, G.B., 112
Delfs, C.D., 208
Dickson, R.S., 156
Done, M.C., 78
Driver, J., 72
Dyson, P.J., 203

Edwards, A.J., 129
Elgafi, S., 97
Elipe, S., 3
Ellis, B.G., 137

Fallon, G.D., 156
Field, L.D., 97
Fischer, J., 12
Forsyth, C.M., 112
Fries, G., 182

Garrido, J., 129
Goh, L.Y., 64
Gorman, J.D., 93
Grattan, T.C., 120
Griffith, W.P., 146

Hagadorn, J.R., 227
Haiduc, I., 64
Healy, P.C., 41
Hirano, M., 18
Hodgson, M.J., 41
Humphrey, M.G., 72, 208
Hursthouse, M.B., 129

Jackson, W.R., 156
Jones, C., 105
Junk, P.C., 105, 112

Kilner, M., 78
King, S.J., 213
Komiya, S., 18
Kurata, N., 18

Laguna, M., 129
Lahoz, F.J., 3
Lamba, J.J.S., 120
Leong, W.K., 64
Leung, P.-H., 64
Little, C.A., 120
Lohner, P., 12
Luther-Davies, B., 72

Macgregor, S.A., 164
Mann, B.E., 175
Maria Caporusso, A., 57
Mashima, K., 51
Matsuo, Y., 51
McDonagh, A.M., 208
McGrady, J.E., 203, 213
Messerle, B.A., 97
Mohr, F., 93
Morley-Smith, N., 146
Mullins, S.M., 227

Nakamura, T., 51
Nogueira, H.I.S., 146

Oro, L.A., 3

Patel, J., 194
Peacock, E.J., 78
Persoons, A., 72
Pertici, P., 57
Pfeffer, M., 12
Pilar Lamata, M., 3
Piparo, L., 57
Polas, A., 156
Pyke, S.M., 222

Raston, C.L., 213
Reger, D.L., 120
Rendina, L.M., 222
Rheingold, A.L., 120
Rickard, C.E.F., 27
Roberts, B.A., 213
Roper, W.R., 27
Rüther, T., 78

Samoc, M., 72
Shoair, A.G.F., 146
Skelton, B.W., 78, 137, 194, 213
Smith, S., 175
Smithies, N.A., 105
Sommer, R.D., 120
Stranger, R., 208
Suriaatmaja, M., 146

Tani, K., 51
Terroba, R., 129

Valderrama, M., 3
van den Ancker, T.R., 213
Viguri, F., 3
Vitulli, G., 57

Weberndörfer, B., 182
Weng, Z., 64
Wenger, E., 164
Werner, H., 182
White, A., 78
White, A.H., 137, 194, 213
White, A.J.P., 146
Williams, D.J., 146
Williams, M.L., 41
Woodgate, S.D., 27
Wright, L.J., 27

PII: S0022-328X(00)00480-0

ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 607 (2000) 234–237

Journal of Organometallic Chemistry

Subject Index of Volume 607

Acyl-complex
Theoretical investigation of the formation of five-membered metallacycles by reaction of CO with metallacyclobutenones: differences between Ni and Pt, 164
Aldehydes
(η^6-Cyclohepta-1,3,5-triene)(η^4-cycloocta-1,5-diene)iron(0) complex as attractive precursor in catalysis, 57
Alkyl halides
Intramolecular N···E interactions in N-functionalised alkyl complexes R′ECl_2 (E = P, As, Sb; R = 6-Me-2-Pyr($SiMe_3$)$_2C^-$), 213
Alkyne cyclotrimerisation
(η^6-Cyclohepta-1,3,5-triene)(η^4-cycloocta-1,5-diene)iron(0) complex as attractive precursor in catalysis, 57
η^3-Allyl complexes
A series of mononuclear ruthenium(II) complexes with sterically demanding bis(phosphino)methanes and arsino(phosphino)methanes as ligands, 182
Amidinate complexes
Synthesis of tantalum fluoride complexes supported by bis(trimethylsilyl)benzamidinate ligands. X-ray structures of [PhC($NSiMe_3$)$_2$]$_2TaF_3$ and [PhC($NSiMe_3$)$_2$]$_2TaFPh_2$, 227
8-Aminoquinoline
Synthesis and structural studies of an (8-quinolyl)amido-lithium complex and its reaction with dimethylsilicone, 105
Anionic dinuclear
Convenient synthesis of anionic dinuclear ruthenium(II) complexes [NR_2H_2][{RuCl(diphosphine)}$_2$(μ-Cl)$_3$] [diphosphine = 2,2′-bis(diphenylphosphino)-1,1′-binaphthyl, 2,2′-bis(di(*p*-tolyl)phosphino)-1,1′-binaphthyl, and 1,2-bis(diphenylphosphino)benzene]: crystal structure of [NEt_2H_2]-[{RuCl(1,2 - bis(diphenylphosphino)benzene)}$_2$(μ-Cl)$_3$], 51
Arenes
(η^6-Cyclohepta-1,3,5-triene)(η^4-cycloocta-1,5-diene)iron(0) complex as attractive precursor in catalysis, 57
On the structure and stability of electron deficient species derived from [$Cr(CO)_3$(arene)], 203
Aryloxides
2,6-Diphenylphenolates of calcium, strontium and barium exhibiting π-phenyl encapsulation of the partially naked cations, 112

Barium
2,6-Diphenylphenolates of calcium, strontium and barium exhibiting π-phenyl encapsulation of the partially naked cations, 112
Binuclear
Oxidative addition reactions of methyl substituted binuclear gold complexes studied by X-ray photoelectron spectroscopy, 93
Bis(diphenylphosphino)amine complexes
Bis(diphenylphosphino)amine and their dichalcogenide derivatives as ligands in rhodium(III), iridium(III), and ruthenium(II) complexes. Crystal structures of [(η^5-C_5Me_5)MCl{η^2-($SePPh_2$)$_2$N}] (M = Rh, Ir), 3
Bis(phosphino)methane complexes
A series of mononuclear ruthenium(II) complexes with sterically demanding bis(phosphino)methanes and arsino(phosphino)methanes as ligands, 182

Calcium
2,6-Diphenylphenolates of calcium, strontium and barium exhibiting π-phenyl encapsulation of the partially naked cations, 112
Carbonyl
Cyclisation of acetylenic carboxylic acids and acetylenic alcohols to oxygen-containing heterocycles using cationic rhodium(I) complexes, 97
On the structure and stability of electron deficient species derived from [$Cr(CO)_3$(arene)], 203
Carbonyl phosphines
The structure and fluxionality of [$Fe_3(CO)_{10}$(dppe)]; a merry-go-round with no sense of direction, 175
Carboxylato complexes
A series of mononuclear ruthenium(II) complexes with sterically demanding bis(phosphino)methanes and arsino(phosphino)methanes as ligands, 182
Catalysts
Cyclisation of acetylenic carboxylic acids and acetylenic alcohols to oxygen-containing heterocycles using cationic rhodium(I) complexes, 97
Cationic
Cyclisation of acetylenic carboxylic acids and acetylenic alcohols to oxygen-containing heterocycles using cationic rhodium(I) complexes, 97
C–C coupling
Enlargement of the scope of the carbon–carbon coupling reactions between Fischer-type metallaalkylidyne and organopalladium compounds, 12
C_4 chains
Reactions of heterometallic tungsten–iridium and tungsten–rhodium complexes containing C_4 chains, 137
C–H bond activation
Successive O–H and sp^3 C–H bond activation of *ortho*-substituted phenols by a ruthenium(0) complex, 18
Chelating diphosphines
Convenient synthesis of anionic dinuclear ruthenium(II) complexes [NR_2H_2][{RuCl(diphosphine)}$_2$(μ-Cl)$_3$] [diphosphine = 2,2′-bis(diphenylphosphino)-1,1′-binaphthyl, 2,2′-bis(di(*p*-tolyl)phosphino)-1,1′-binaphthyl, and 1,2-bis(diphenylphosphino)benzene]: crystal structure of [NEt_2H_2][{RuCl(1,2 - bis(diphenylphosphino)benzene)}$_2$-(μ-Cl)$_3$], 51
Chromium
Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphinyl)disulfanes and bis(thiophosphoryl)disulfanes. Syntheses of $CpCr(CO)_2(S_2PPh_2)$ and $CpCr(S_2PPh_2)_2$. X-ray crystal structure of $CpCr(S_2PPh_2)_2$, 64

PII: S0022-328X(00)00481-2

On the structure and stability of electron deficient species derived from $[Cr(CO)_3(arene)]$, 203

Cobalt
Formation and structures of novel polynuclear complexes containing Mo–Mo or Mo–Co bonds with bridging SR or PR_2 group, 156

CO/ethylene copolymerisation
Novel cationic and neutral Pd(II) complexes bearing imidazole based chelate ligands: synthesis, structural characterisation and catalytic behaviour, 78

CO insertion
Theoretical investigation of the formation of five-membered metallacycles by reaction of CO with metallacyclobutenones: differences between Ni and Pt, 164

Crystal structures
Bis(diphenylphosphino)amine and their dichalcogenide derivatives as ligands in rhodium(III), iridium(III), and ruthenium(II) complexes. Crystal structures of $[(\eta^5\text{-}C_5Me_5)MCl\{\eta^2\text{-}(SePPh_2)_2N\}]$ (M = Rh, Ir), 3
C–H activation at the 3-position of pentane chains to form $[N\text{–}C(sp^3)\text{–}N]^-$ complexes incorporating six-membered pallada(II)cyclic rings and pyridine, pyrazole and *N*-methylimidazole donor groups. Structural studies and comparison with $[N\text{–}C(sp^2)\text{–}N]^-$ complexes, 194
Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphinyl)disulfanes and bis(thiophosphoryl)disulfanes. Syntheses of $CpCr(CO)_2(S_2PPh_2)$ and $CpCr(S_2PPh_2)_2$. X-ray crystal structure of $CpCr(S_2PPh_2)_2$, 64
Peripherally-metallated porphyrins: synthesis and spectra of *meso*-η^1-palladio- and platinioporphyrins and the crystal structures of *cis*-{PtBr[10,20-diphenylporphyrinatonickel(II)-5-yl]$(PPh_3)_2$} and *trans*-{PtBr[10,20-diphenylporphyrin-5-yl]$(PPh_3)_2$}·$0.25CH_2Cl_2$, 41

Cyclisation of alkynoic acids
Cyclisation of acetylenic carboxylic acids and acetylenic alcohols to oxygen-containing heterocycles using cationic rhodium(I) complexes, 97

Cyclometallated
Oxidative addition reactions of methyl substituted binuclear gold complexes studied by X-ray photoelectron spectroscopy, 93

Cyclometallation
C–H activation at the 3-position of pentane chains to form $[N\text{–}C(sp^3)\text{–}N]^-$ complexes incorporating six-membered pallada(II)cyclic rings and pyridine, pyrazole and *N*-methylimidazole donor groups. Structural studies and comparison with $[N\text{–}C(sp^2)\text{–}N]^-$ complexes, 194

Cycloolefin complexes
(η^6-Cyclohepta-1,3,5-triene)(η^4-cycloocta-1,5-diene)iron(0) complex as attractive precursor in catalysis, 57

Cyclopentadienylchromium
Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphinyl)disulfanes and bis(thiophosphoryl)disulfanes. Syntheses of $CpCr(CO)_2(S_2PPh_2)$ and $CpCr(S_2PPh_2)_2$. X-ray crystal structure of $CpCr(S_2PPh_2)_2$, 64

Dative bonding
Intramolecular N···E interactions in N-functionalised alkyl complexes $R'ECl_2$ (E = P, As, Sb; R = 6-Me-2-Pyr$(SiMe_3)_2C^-$), 213

Density functional
On the structure and stability of electron deficient species derived from $[Cr(CO)_3(arene)]$, 203

Density functional theory
Trends in back-bonding in the series *trans*-$[M(C{\equiv}CR)Cl(PH_3)_4]$ (M = Fe, Ru, Os; R = H, Ph, $C_6H_4NO_2$-4), 208

DFT calculation
Theoretical investigation of the formation of five-membered metallacycles by reaction of CO with metallacyclobutenones: differences between Ni and Pt, 164

Dichalcogenide complexes
Bis(diphenylphosphino)amine and their dichalcogenide derivatives as ligands in rhodium(III), iridium(III), and ruthenium(II) complexes. Crystal structures of $[(\eta^5\text{-}C_5Me_5)MCl\{\eta^2\text{-}(SePPh_2)_2N\}]$ (M = Rh, Ir), 3

Dimethylsilicone
Synthesis and structural studies of an (8-quinolyl)amido-lithium complex and its reaction with dimethylsilicone, 105

Dinuclear platinum complex
Dinuclear organoplatinum(II)-methyldiphenylphosphine complexes of nicotinic acid, 222

Diphenyldithiophosphinate
Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphinyl)disulfanes and bis(thiophosphoryl)disulfanes. Syntheses of $CpCr(CO)_2(S_2PPh_2)$ and $CpCr(S_2PPh_2)_2$. X-ray crystal structure of $CpCr(S_2PPh_2)_2$, 64

Fluxionality
The structure and fluxionality of $[Fe_3(CO)_{10}(dppe)]$; a merry-go-round with no sense of direction, 175

Gold
Oxidative addition reactions of methyl substituted binuclear gold complexes studied by X-ray photoelectron spectroscopy, 93

Gold(III)
Mesityl gold(III) complexes. X-ray structure of mononuclear $[Au(mes)_2Cl(PPh_3)]$ and the dimer $[Au(mes)_2Cl]_2$, 129

Group 15
Intramolecular N···E interactions in N-functionalised alkyl complexes $R'ECl_2$ (E = P, As, Sb; R = 6-Me-2-Pyr$(SiMe_3)_2C^-$), 213

Heck reaction
Novel cationic and neutral Pd(II) complexes bearing imidazole based chelate ligands: synthesis, structural characterisation and catalytic behaviour, 78

Heterometallic
Reactions of heterometallic tungsten–iridium and tungsten–rhodium complexes containing C_4 chains, 137

Heterovalent
Oxidative addition reactions of methyl substituted binuclear gold complexes studied by X-ray photoelectron spectroscopy, 93

Hydroformylation
(η^6-Cyclohepta-1,3,5-triene)(η^4-cycloocta-1,5-diene)iron(0) complex as attractive precursor in catalysis, 57

Hydrogen-bonding
Dinuclear organoplatinum(II)-methyldiphenylphosphine complexes of nicotinic acid, 222

Hyperpolarizabilities
Organometallic complexes for nonlinear optics: Part 18. Molecular quadratic and cubic hyperpolarizabilities of aryldiazovinylidene complexes, 72

Imidazole ligands
Novel cationic and neutral Pd(II) complexes bearing imidazole based chelate ligands: synthesis, structural characterisation and catalytic behaviour, 78

Insertion
Enlargement of the scope of the carbon–carbon coupling reactions between Fischer-type metallaalkylidyne and organopalladium compounds, 12

Intramolecular
Intramolecular N···E interactions in N-functionalised alkyl complexes $R'ECl_2$ (E = P, As, Sb; R = 6-Me-2-Pyr$(SiMe_3)_2C^-$), 213
Intramolecular coordination
C–H activation at the 3-position of pentane chains to form $[N–C(sp^3)–N]^-$ complexes incorporating six-membered pallada(II)cyclic rings and pyridine, pyrazole and *N*-methylimidazole donor groups. Structural studies and comparison with $[N–C(sp^2)–N]^-$ complexes, 194
Iridium
Bis(diphenylphosphino)amine and their dichalcogenide derivatives as ligands in rhodium(III), iridium(III), and ruthenium(II) complexes. Crystal structures of $[(\eta^5\text{-}C_5Me_5)MCl\{\eta^2\text{-}(SePPh_2)_2N\}]$ (M = Rh, Ir), 3
Iron
(η^6-Cyclohepta-1,3,5-triene)(η^4-cycloocta-1,5-diene)iron(0) complex as attractive precursor in catalysis, 57
Iron clusters
The structure and fluxionality of $[Fe_3(CO)_{10}(dppe)]$; a merry-go-round with no sense of direction, 175

Lanthanides
Studies on polyoxo and polyperoxo-metalates: Part 7. Lanthano- and thoriopolyoxotungstates as catalytic oxidants with H_2O_2 and the X-ray crystal structure of $Na_8[ThW_{10}O_{36}]\cdot 28H_2O$, 146
Lithium
Synthesis and structural studies of an (8-quinolyl)amido-lithium complex and its reaction with dimethylsilicone, 105

Manganese carbonyl complexes
Syntheses of tris(pyrazolyl)methane ligands and {[tris(pyrazolyl)-methane]$Mn(CO)_3$}SO_3CF_3 complexes: comparison of ligand donor properties, 120
Mass spectrometry
On the structure and stability of electron deficient species derived from $[Cr(CO)_3(arene)]$, 203
Mercury
Mesityl gold(III) complexes. X-ray structure of mononuclear $[Au(mes)_2Cl(PPh_3)]$ and the dimer $[Au(mes)_2Cl]_2$, 129
Mesityl
Mesityl gold(III) complexes. X-ray structure of mononuclear $[Au(mes)_2Cl(PPh_3)]$ and the dimer $[Au(mes)_2Cl]_2$, 129
Metal–carbon backbonding
Trends in back-bonding in the series *trans*-$[M(C{\equiv}CR)Cl(PH_3)_4]$ (M = Fe, Ru, Os; R = H, Ph, $C_6H_4NO_2$-4), 208
Metal fluoride complexes
Synthesis of tantalum fluoride complexes supported by bis(trimethylsilyl)benzamidinate ligands. X-ray structures of $[PhC(NSiMe_3)_2]_2TaF_3$ and $[PhC(NSiMe_3)_2]_2TaFPh_2$, 227
Metallaalkylidyne
Enlargement of the scope of the carbon–carbon coupling reactions between Fischer-type metallaalkylidyne and organopalladium compounds, 12
Metallacycle
Theoretical investigation of the formation of five-membered metallacycles by reaction of CO with metallacyclobutenones: differences between Ni and Pt, 164
Methyldiphenylphosphine
Dinuclear organoplatinum(II)-methyldiphenylphosphine complexes of nicotinic acid, 222
Molecular orbital
On the structure and stability of electron deficient species derived from $[Cr(CO)_3(arene)]$, 203
Molybdenum
Enlargement of the scope of the carbon–carbon coupling reactions between Fischer-type metallaalkylidyne and organopalladium compounds, 12
Formation and structures of novel polynuclear complexes containing Mo–Mo or Mo–Co bonds with bridging SR or PR_2 group, 156

Nickel
Theoretical investigation of the formation of five-membered metallacycles by reaction of CO with metallacyclobutenones: differences between Ni and Pt, 164
Nicotinic acid
Dinuclear organoplatinum(II)-methyldiphenylphosphine complexes of nicotinic acid, 222
Nonlinear optics
Organometallic complexes for nonlinear optics: Part 18. Molecular quadratic and cubic hyperpolarizabilities of aryldiazovinylidene complexes, 72

Organometallic complexes
Syntheses and structural studies of five- and six-coordinate *o*-halophenyl derivatives of ruthenium(II) and osmium(II), 27
Organopalladium
C–H activation at the 3-position of pentane chains to form $[N–C(sp^3)–N]^-$ complexes incorporating six-membered pallada(II)cyclic rings and pyridine, pyrazole and *N*-methylimidazole donor groups. Structural studies and comparison with $[N–C(sp^2)–N]^-$ complexes, 194
Osmium
Syntheses and structural studies of five- and six-coordinate *o*-halophenyl derivatives of ruthenium(II) and osmium(II), 27
Oxaruthenacycle
Successive O–H and sp^3 C–H bond activation of *ortho*-substituted phenols by a ruthenium(0) complex, 18
Oxidation catalysis
Studies on polyoxo and polyperoxo-metalates: Part 7. Lanthano- and thoriopolyoxotungstates as catalytic oxidants with H_2O_2 and the X-ray crystal structure of $Na_8[ThW_{10}O_{36}]\cdot 28H_2O$, 146
Oxidative addition
Peripherally-metallated porphyrins: synthesis and spectra of *meso*-η^1-palladio- and platinioporphyrins and the crystal structures of *cis*-{PtBr[10,20-diphenylporphyrinatonickel(II)-5-yl]$(PPh_3)_2$} and *trans*-{PtBr[10,20-diphenylporphyrin-5-yl]$(PPh_3)_2$}$\cdot 0.25CH_2Cl_2$, 41

Palladium
Enlargement of the scope of the carbon–carbon coupling reactions between Fischer-type metallaalkylidyne and organopalladium compounds, 12
Novel cationic and neutral Pd(II) complexes bearing imidazole based chelate ligands: synthesis, structural characterisation and catalytic behaviour, 78
Peripherally-metallated porphyrins: synthesis and spectra of *meso*-η^1-palladio- and platinioporphyrins and the crystal structures of *cis*-{PtBr[10,20-diphenylporphyrinatonickel(II)-5-yl]$(PPh_3)_2$} and *trans*-{PtBr[10,20-diphenylporphyrin-5-yl]$(PPh_3)_2$}$\cdot 0.25CH_2Cl_2$, 41
Pentachlorophenolato complexes
A series of mononuclear ruthenium(II) complexes with sterically demanding bis(phosphino)methanes and arsino(phosphino)methanes as ligands, 182
Phenols
Successive O–H and sp^3 C–H bond activation of *ortho*-substituted phenols by a ruthenium(0) complex, 18

π-Phenyl complexes
2,6-Diphenylphenolates of calcium, strontium and barium exhibiting π-phenyl encapsulation of the partially naked cations, 112
Phosphido
Formation and structures of novel polynuclear complexes containing Mo–Mo or Mo–Co bonds with bridging SR or PR_2 group, 156
Phosphinodithioato
Chemistry of cyclopentadienyl tricarbonylchromium dimer. Cleavage of bis(thiophosphinyl)disulfanes and bis(thiophosphoryl)disulfanes. Syntheses of $CpCr(CO)_2(S_2PPh_2)$ and $CpCr(S_2PPh_2)_2$. X-ray crystal structure of $CpCr(S_2PPh_2)_2$, 64
Photoreduction
Oxidative addition reactions of methyl substituted binuclear gold complexes studied by X-ray photoelectron spectroscopy, 93
Platinum
Peripherally-metallated porphyrins: synthesis and spectra of *meso*-η^1-palladio- and platinioporphyrins and the crystal structures of *cis*-{PtBr[10,20-diphenylporphyrinatonickel(II)-5-yl]$(PPh_3)_2$} and *trans*-{PtBr[10,20-diphenylporphyrin-5-yl]$(PPh_3)_2$}·$0.25CH_2Cl_2$, 41
Theoretical investigation of the formation of five-membered metallacycles by reaction of CO with metallacyclobutenones: differences between Ni and Pt, 164
Polynuclear compounds
Formation and structures of novel polynuclear complexes containing Mo–Mo or Mo–Co bonds with bridging SR or PR_2 group, 156
Polyoxotungstates
Studies on polyoxo and polyperoxo-metalates: Part 7. Lanthano- and thoriopolyoxotungstates as catalytic oxidants with H_2O_2 and the X-ray crystal structure of $Na_8[ThW_{10}O_{36}]$·$28H_2O$, 146
Porphyrins
Peripherally-metallated porphyrins: synthesis and spectra of *meso*-η^1-palladio- and platinioporphyrins and the crystal structures of *cis*-{PtBr[10,20-diphenylporphyrinatonickel(II)-5-yl]$(PPh_3)_2$} and *trans*-{PtBr[10,20-diphenylporphyrin-5-yl]$(PPh_3)_2$}·$0.25CH_2Cl_2$, 41

Relativistic effects
Trends in back-bonding in the series *trans*-$[M(C{\equiv}CR)Cl(PH_3)_4]$ (M = Fe, Ru, Os; R = H, Ph, $C_6H_4NO_2$-4), 208
Rhodium
Bis(diphenylphosphino)amine and their dichalcogenide derivatives as ligands in rhodium(III), iridium(III), and ruthenium(II) complexes. Crystal structures of $[(\eta^5\text{-}C_5Me_5)MCl\{\eta^2\text{-}(SePPh_2)_2N\}]$ (M = Rh, Ir), 3
Cyclisation of acetylenic carboxylic acids and acetylenic alcohols to oxygen-containing heterocycles using cationic rhodium(I) complexes, 97
Reactions of heterometallic tungsten–iridium and tungsten–rhodium complexes containing C_4 chains, 137
Ruthenium
A series of mononuclear ruthenium(II) complexes with sterically demanding bis(phosphino)methanes and arsino(phosphino)methanes as ligands, 182
Bis(diphenylphosphino)amine and their dichalcogenide derivatives as ligands in rhodium(III), iridium(III), and ruthenium(II) complexes. Crystal structures of $[(\eta^5\text{-}C_5Me_5)MCl\{\eta^2\text{-}(SePPh_2)_2N\}]$ (M = Rh, Ir), 3
Convenient synthesis of anionic dinuclear ruthenium(II) complexes $[NR_2H_2][\{RuCl(diphosphine)\}_2(\mu\text{-}Cl)_3]$ [diphosphine = 2,2′-bis(diphenylphosphino)-1,1′-binaphthyl, 2,2′-bis(di(*p*-tolyl)phosphino)-1,1′-binaphthyl, and 1,2-bis-(diphenylphosphino)benzene]: crystal structure of $[NEt_2H_2]$
$[\{RuCl(1,2\text{-bis(diphenylphosphino)benzene})\}_2(\mu\text{-}Cl)_3]$, 51
Organometallic complexes for nonlinear optics: Part 18. Molecular quadratic and cubic hyperpolarizabilities of aryldiazovinylidene complexes, 72
Successive O–H and sp^3 C–H bond activation of *ortho*-substituted phenols by a ruthenium(0) complex, 18
Syntheses and structural studies of five- and six-coordinate *o*-halophenyl derivatives of ruthenium(II) and osmium(II), 27

Second generation ligands
Syntheses of tris(pyrazolyl)methane ligands and {[tris(pyrazolyl)-methane]$Mn(CO)_3$}SO_3CF_3 complexes: comparison of ligand donor properties, 120
Strontium
2,6-Diphenylphenolates of calcium, strontium and barium exhibiting π-phenyl encapsulation of the partially naked cations, 112
Successive bond activation
Successive O–H and sp^3 C–H bond activation of *ortho*-substituted phenols by a ruthenium(0) complex, 18

Tantalum
Synthesis of tantalum fluoride complexes supported by bis(trimethylsilyl)benzamidinate ligands. X-ray structures of $[PhC(NSiMe_3)_2]_2TaF_3$ and $[PhC(NSiMe_3)_2]_2TaFPh_2$, 227
Tecton
Dinuclear organoplatinum(II)-methyldiphenylphosphine complexes of nicotinic acid, 222
Thiolato
Formation and structures of novel polynuclear complexes containing Mo–Mo or Mo–Co bonds with bridging SR or PR_2 group, 156
Thorium
Studies on polyoxo and polyperoxo-metalates: Part 7. Lanthano- and thoriopolyoxotungstates as catalytic oxidants with H_2O_2 and the X-ray crystal structure of $Na_8[ThW_{10}O_{36}]$·$28H_2O$, 146
Tris(pyrazolyl)methane ligands
Syntheses of tris(pyrazolyl)methane ligands and {[tris(pyrazolyl)-methane]$Mn(CO)_3$}SO_3CF_3 complexes: comparison of ligand donor properties, 120
Tungsten
Reactions of heterometallic tungsten–iridium and tungsten–rhodium complexes containing C_4 chains, 137

Vinylidene
Organometallic complexes for nonlinear optics: Part 18. Molecular quadratic and cubic hyperpolarizabilities of aryldiazovinylidene complexes, 72

XPS
Oxidative addition reactions of methyl substituted binuclear gold complexes studied by X-ray photoelectron spectroscopy, 93
X-ray crystal structure
Studies on polyoxo and polyperoxo-metalates: Part 7. Lanthano- and thoriopolyoxotungstates as catalytic oxidants with H_2O_2 and the X-ray crystal structure of $Na_8[ThW_{10}O_{36}]$·$28H_2O$, 146